



TRODELVY[®] (sacituzumab govitecan-hziy)

Can my other medicines interact with TRODELVY?

This information is provided in response to your question. It is not treatment advice on how to use **TRODELVY**. Please discuss this question and others you have about your medical condition or treatment with your healthcare provider.

Download the **TRODELVY Patient Information** for more details, including approved use(s) and important warnings: https://www.gilead.com/-/media/files/pdfs/medicines/oncology/trodelvy/trodelvy_patient_pi.pdf

The short answer¹



Taking TRODELVY together with medicines that can affect a protein called uridine diphosphate-glucuronosyl transferase 1A1 (UGT1A1) should be avoided. It is possible that taking these medicines with TRODELVY might affect how TRODELVY works or might increase side effects.



Before receiving TRODELVY, tell your healthcare provider about all of your medical conditions and the medicines that you are currently taking, including prescription and over the counter medicines, vitamins and herbal supplements. Certain medicines may affect the way TRODELVY works and may increase your risk of side effects. Your healthcare provider can tell you if it is safe to take TRODELVY with other medicines.

What important information I should know about TRODELVY?¹

Some medicines have important warnings that are designed to alert you of serious or life-threatening risks that come with taking the medicine.

TRODELVY has an important warning for: Severe diarrhea and severe, life-threatening, or low white blood cell count (neutropenia) that can cause death, as early as the first treatment cycle.

Your healthcare provider should check your blood cell counts during treatment with TRODELVY and may give you a medicine to help prevent low white blood cell counts starting in the first cycle of treatment if you have an increased risk for developing low white blood cell count with a fever, also known as febrile neutropenia.

Your healthcare provider should monitor you for diarrhea and give you medicine as needed to help control your diarrhea. If you lose too much body fluid, your healthcare provider may need to give you fluids and electrolytes to replace body salts. If you develop diarrhea during treatment with TRODELVY, your healthcare provider should check to see if diarrhea may be caused by an infection.

If you develop serious side effects, your healthcare provider may treat you with certain medicines, delay your treatment, lower your dose, or permanently stop treatment with TRODELVY.

Who is TRODELVY for?¹

TRODELVY is a prescription medicine used in adults to treat:

- a type of cancer called **triple-negative breast cancer (TNBC)** which is estrogen and progesterone hormone receptor (HR)-negative and human epidermal growth factor receptor 2 (HER2)-negative that has spread to nearby tissues (locally advanced) or to other parts of the body (metastatic)

As the first treatment:

- alone when your TNBC cannot be removed by surgery and you are not a candidate for PD-1 or PD-L1 inhibitor-based therapy

- with the medicine pembrolizumab or pembrolizumab and berahyaluronidase alfa-pmph when your TNBC cannot be removed by surgery and the tumors test positive for PD-L1

As the second or later treatment:

- after you have received 2 or more prior therapies throughout the body (systemic) for TNBC that cannot be removed by surgery and at least 1 of the therapies was for metastatic TNBC.
- a type of cancer called **hormone receptor (HR) positive and human epidermal growth factor receptor 2 (HER2) negative breast cancer** that has spread to nearby tissues (locally advanced) or to other parts of the body (metastatic)
 - when your HR-positive, HER2-negative breast cancer cannot be removed by surgery and you have received hormonal-based therapy and at least 2 more therapies throughout the body (systemic) for metastatic breast cancer

It is not known if TRODELVY is safe and effective in people with moderate or severe liver problems or in children.

How might my other medicines interact with TRODELVY?¹



Certain medicines when taken together can react with each other in ways that can change how they work or cause side effects. When this happens, it is known as a drug-drug interaction.



Taking TRODELVY together with medicines that can affect a protein called UGT1A1 should be avoided. It is possible that taking these medicines with TRODELVY might affect how TRODELVY works or might increase side effects.



If you have questions about how TRODELVY might interact with any of your other medicines including over the counter medicines, vitamins,

herbal supplements or specific foods please ask your health care provider.



Before receiving TRODELVY, tell your healthcare provider about all of your medical conditions and about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take TRODELVY with other medicines.

What should I know before starting TRODELVY?¹

Do not receive TRODELVY if you have had a severe allergic reaction to TRODELVY. Ask your healthcare provider if you are not sure.

Before receiving TRODELVY, tell your healthcare provider about all of your medical conditions, including if you have been told that you carry a gene for uridine diphosphate-glucuronosyl transferase 1A1 (UGT1A1)*28. People who carry this gene have an increased risk of getting side effects with TRODELVY, especially low white blood cell counts, a fever while your white blood cell count is low, and low red blood cell counts.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Certain medicines may affect the way TRODELVY works or may increase your risk of side effects.

Glossary

- **Allergic reaction:** happens when your body's immune system overreacts to something and causes symptoms such as rash, hives, swelling, and trouble breathing.
- **Diarrhea:** loose or watery stools
- **Febrile Neutropenia:** a fever while a person has low levels of neutrophils, which may indicate an infection
- **Hormonal-based therapy:** a type of medicine that works by blocking or changing hormones in your body. It is often used to treat certain cancers, like some breast cancers, that rely on hormones to grow

- **Hormone receptor (HR):** a hormone is a substance made by a gland in your body. A receptor is a protein found inside or on the surface of a cell. When hormones attach (bind) to specific receptors, it causes changes within the cell. There are 2 types of hormone receptors, estrogen and progesterone
- **Human epidermal growth factor receptor (HER2):** HER2 is a protein that can affect cell growth. A receptor is a protein found inside or on the surface of a cell. When proteins attach (bind) to specific receptors, it causes changes within the cell
- **Locally advanced:** cancer that has spread to nearby tissues
- **Metastatic:** spread of cancer from the place where it started to other parts of the body
- **Neutropenia:** low levels of neutrophils, a type of white blood cell
- **PD-L1:** a protein that is present on some people's tumors, and that can be targeted by specific medications called anti-PD-1 or anti-PD-L1 treatments
- **Triple negative breast cancer (TNBC):** a type of breast cancer that does not use hormones or HER2 protein to grow
- **Uridine diphosphate-glucuronosyl transferase 1A1 (UGT1A1):** a protein involved in removal of certain types of waste in the body and also medicines
- **White blood cells:** part of your immune system that help protect you from infections, germs, and other harmful invaders. A low number can reduce your ability to fight infections

References

1. TRODELVY® Gilead Sciences Inc. Trodelvy (sacituzumab govitecan-hziy) for injection, for intravenous use. U.S. Prescribing Information. Foster City, CA.

More information about TRODELVY

If you would like more detailed information about TRODELVY, please visit:

https://www.gilead.com/-/media/files/pdfs/medicines/oncology/trodelvy/trodelvy_pi.pdf

This is the US FDA-approved Prescribing Information, including the Patient Labeling, for TRODELVY. It will tell you about the uses, warnings, and other important safety information about TRODELVY.

Important note

Gilead Sciences, Inc. is providing this letter in response to your unsolicited request for medical information. Some of the information included in this letter may not be covered in the US FDA-approved Prescribing Information for TRODELVY. Gilead Sciences, Inc. does not intend this letter to be used as medical advice and does not promote use of TRODELVY in a way that has

Gilead Sciences, Inc. is providing this letter in response to your unsolicited request for medical information. It is not promotional. It is intended for a US audience 18 years or older.

not been approved by the FDA. Please discuss this question and others you may have about your medical condition or treatment with your healthcare provider.

Follow-Up

For any additional questions, please contact Trodelvy Medical Information at:

☎ 1-888-983-4668 or 🌐 <https://www.patient.askgileadmedical.com/>

Reporting side effects

Please report all adverse events to:

Gilead Global Patient Safety ☎ 1-800-445-3235, option 3 or

🌐 www.gilead.com/utility/contact/report-an-adverse-event

FDA MedWatch Program by ☎ 1-800-FDA-1088 or ✉ MedWatch, FDA, 5600 Fishers Ln, Rockville, MD 20852 or 🌐 www.accessdata.fda.gov/scripts/medwatch

Data Privacy

The Medical Information service at Gilead Sciences may collect, store, and use your personal information to provide a response to your medical request. We may share your information with other Gilead Sciences colleagues to ensure that your request is addressed appropriately. If you report an adverse event or concern about the quality of a Gilead or Kite product, we will need to use the information you have given us in order to meet our regulatory requirements in relation to the safety of our medicines.

It may be necessary for us to share your information with Gilead's affiliates, business partners, service providers, and regulatory authorities located in countries besides your own. Gilead Sciences has implemented measures to protect the personal information you provide. Please see the Gilead Privacy Statement (www.gilead.com/privacy-statements) for more information about how Gilead handles your personal information and your rights. If you have any further questions about the use of your personal information, please contact gilead.privacy@gilead.com.

TRODELVY GILEAD, and the GILEAD logo are registered trademarks of Gilead Sciences, Inc., or its related companies.

© 2026 Gilead Sciences, Inc.